
BRADCO.

PM581

3375 BACKHOE 3-POINT HITCH / CATEGORY I

7864

9-9-99



PARTS MANUAL

7548

BRADCO®

P.O. Box 266 · Delhi, Iowa 52223 USA (319) 922-2981 ·(800) 922-2981

Fax 319-922-2130

A Division of Attachment Technologies, Inc.


-TABLE OF CONTENTS —

SERVICE PARTS

MAINFRAME ASSEMBLY Mainframe Swing Post Stabilizers	#86630
3-POINT HITCH ADAPTER KIT	#86638
BOOM & DIPPER ASSEMBLY	#86632
CONSOLE ASSEMBLY	#86631
VALVE ASSEMBLY	•
CYLINDERS SWING CYLINDER STABILIZER CYLINDER BOOM CYLINDER DIPPER CYLINDER BUCKET CYLINDER	#86576 #83397 #86587 #86561
HOSE SETS MAINFRAME HOSE SET BOOM & DIPPER HOSE SET	
STABILIZER PAD OPTIONS FLAT STABILIZER PAD ASSEMBLY GROUSER STABILIZER PAD ASSEMBLY RUBBER STABILIZER PAD ASSEMBLY FLIP OVER STABILIZER PAD ASSEMBLY	#81861 #81860 #81862
STABILIZER CYLINDER GUARDS	#83850
BUCKET OPTIONS 10" BUCKET 12" BUCKET 16" BUCKET 18" BUCKET 25" BUCKET	#81712 #81716 #81718
DECALS	# 40337 786

MAINFRAME ASSEMBLY -

ASSEMBLY #86630 MAINFRAME




-MAINFRAME ASSEMBLY——

ASSEMBLY #86630 MAINFRAME

NO	REQ'D	PART NO.	DESCRIPTION
1 2 3 4 5	1 6 5 4 6	86487 1043 1503 1226 6616	Right Console Support Bracket .38" UNC X 1.00" Hex Capscrew .38" Lock Washer .38" UNC Hex Nut Grease Zerk
6 7 8 9 10	2 2 2 2 1	81592 1514 81807 62819 86488	Pivot Pin .38" Flat Washer Spacer Tube Grommet Left Console Support Bracket
11 12 13 14	12 24 10 4 4 2	1841 1646 1092 87761 86564 30137	.50" UNC Hex Lock Nut .50" Hard Flat Washer .50" UNC X 2.00" Hex Capscrew Swing Cylinder Mounting Plate Bushing (Included in Mounting Plate) Tee
16 17 18	2 2 Varies Varies Varies 2	3434 86576 57693 64727 64728 81585	90° Elbow 6MBo - 6MJ Swing Cylinder Assembly Thrust Washer 1.25" X .078" Thrust Washer 1.25" X .145" Thrust Washer 1.25" X .031" Spacer
20 21 22 23 24 25	1 2 2 1 1 2	83977 1929 6615 86361 1650 1041	Thrust Washer 1.38" X .125" Hardened Snap Ring Bearing Mainframe Snap Ring .38" UNC X .50" Hex Capscrew
26 27 28	2 Varies Varies Varies	54900 1094 83975 83976 83977	Hose Clamp .50" UNC X 2.50" Hex Capscrew Thrust Washer 1.38" X .031" Hardened Thrust Washer 1.38" X .090" Hardened Thrust Washer 1.38" X .125" Hardened

MAINFRAME ASSEMBLY-

ASSEMBLY #86630 SWING POST



-MAINFRAME ASSEMBLY-

ASSEMBLY #86630 SWING POST


NO	REQ'D	PART NO.	DESCRIPTION
1	1	86633	Swing Post (Includes 2 - #82443 Bushings Installed with Locktite Grade 680)
2	2	87918	Pin
3	1	86242 (1)	Pin
4	Varies	83975	Thrust Washer 1.38" X .031" Hardened
	Varies	83976	Thrust Washer 1.38" X .090" Hardened
	Varies	83977	Thrust Washer 1.38" X .125" Hardened
5	3	1650	Snap Ring
6 7	1 -	6616 82443	Grease Zerk Bushing (Included in Swing Post)
			(Installed with Locktite Grade 680)
8	Varies	64728	Thrust Washer 1.25" X .031"
9	2	1652	Snap Ring
10	1	86603	Pin
11	1	81807	Spacer Tube
12	1	1514	.38" Flat Washer
13	1	1503	.38" Lock Washer
14	1	1043	.38" UNC X 1.00" Hex Capscrew

NOTE:

⁽¹⁾ Pivot Pin #86242 is sold only in Pin Kit #88012. Kit includes one pin #86242, two thrust washers #6623 and two snap rings #1650.

- MAINFRAME ASSEMBLY —

ASSEMBLY #86630 STABILIZERS



MAINFRAME ASSEMBLY-


ASSEMBLY #86630 STABILIZERS

NO	REQ'D	PART NO.	DESCRIPTION
1	8	1652	Snap Ring
2	Varies	57693	Thrust Washer 1.25" X .078"
	Varies	64727	Thrust Washer 1.25" X .145"
	Varies	64728	Thrust Washer 1.25" X .031"
3	4	81846 (1)	Pin
4	2	83397	Stabilizer Cylinder Assembly
	2	6616	Grease Zerk
5	2	83393	Stabilizer Arm
6	2	83257	Pin
7	2	1613	Cotter Pin .25" X 2.00"

NOTE:

(1) Pivot Pin #81646 is sold only in Pin Kit #86314. Kit includes one pin #81646, two thrust washers #64727 and two snap rings #1652.


3-POINT HITCH ADAPTER KIT-



-3-POINT HITCH ADAPTER KIT -

NO	REQ'D	PART NO.	DESCRIPTION
1	1	86611	Center Double Link
2	1	86619	Spacer Tube
3	1	1144	.75" UNC X 2.50" Hex Capscrew
4	8	1649	.75" Hard Flat Washer
5	4	1534	.75" UNC Hex Locknut
6	1	86615	Center Single Link
7	2	86601	Hitch Lock Out Arm
8	1	1148	.75" UNC X 4.50" Hex Capscrew
9	2	1570	Snap Ring
10	2	57462	Thrust Washer
11	1	86620	Pin
12	2	1141	.75" UNC X 2.50" Hex Capscrew
13	1	45132	Inline Filter
14	1	45691	Check Valve
15	2	1987	Hitch Pin - Includes Retainer
16	4	86623	Adapter Bushing

BOOM & DIPPER ASSEMBLY-



-BOOM & DIPPER ASSEMBLY-

ASSEMBLY #86632


NO	REQ'D	PART NO.	DESCRIPTION
1	1	86561	Dipper Cylinder Assembly
	2	85772	Bushing (Included in Cylinder Assembly)
	2	6616	Grease Zerk
	_		Straight Adapter (#3269 8MBo-6MJ - If Required)
2	1	86587	Boom Cylinder Assembly
	2	85772	Bushing (Included in Cylinder Assembly)
	1	6616	Grease Zerk
	1	53031	90° Grease Zerk
	-		Straight Adapter (#3269 8MBo-6MJ - If Required)
3	2	85770	Hose Clamp
4	1	34133	Hose Sock 4.00" X 45"
5	1	87363	Swing Lock Pin
6	2	1043	.38" UNC X 1.00" Hex Capscrew
7	2	1503	.38" Lock Washer
8	3	1514	.38" Flat Washer
9	2	81881	Clamp Plate
10	2	81882	Rubber Spacer
11	4	1650	Snap Ring
12	Varies	6623	Thrust Washer 1.38" X .031"
	Varies	64724	Thrust Washer 1.38" X .090"
	Varies	64725	Thrust Washer 1.38" X .125"
13	1	87361	Boom Lock Pin
14	1	1860	Hair Pin Cotter
15	1	86504	Boom Assembly (Includes (4) #81610 Bushings and (2) #83368 Spacers - Bushing installed with Locktite 680)
16	2	81679 (1)	Pivot Pin
17	2	83368	Spacer (Included in Boom Assembly)
18	4	81610	Bushing (Included in Boom Assembly) (Installed with Locktite 680)
19	1	34095	Hose Sock 2.00" X 20"
20	1	1837	.38" UNC Lock Nut
21	1	82859	Double Hose Clamp

NOTE:

(1) Pivot Pin #81679 is sold only in Pin Kit #86311. Kit includes one pin #81679, two thrust washers #6623 and two snap rings #1650. 7841

BOOM & DIPPER ASSEMBLY-

ASSEMBLY #86632



7842 8-30-99

BOOM & DIPPER ASSEMBLY-


ASSEMBLY #86632

NO	REQ'D	PART NO.	DESCRIPTION
1 2 3 4 5	2 1 1 1 2	1020 7448 85745 84770 1502	.31" UNC X .50" Hex Capscrew SMV Clip SMV Bracket Hose Clamp .31" Lock Washer
6 7 8	2 1 1 2 2	1225 3434 86505 85772 6616	.31" UNC Hex Nut 90° Elbow 6MBo-6MJ Bucket Cylinder Assembly Bushing (Included in Cylinder Assembly) Grease Zerk Straight Adapter (#3269 8MBo-6MJ - If Required)
9 10	7 Varies Varies Varies	1650 6623 64724 64725	Snap Ring Thrust Washer 1.38" X .031" Thrust Washer 1.38" X .090" Thrust Washer 1.38" X .125"
11 12 13	2 6 2	86608 (1) 6616 82443 86603	Pivot Pin Grease Zerk Bushing (Included in Dipper Assembly) (Installed with Locktite Grade 680) Pin
15 16 17 18 19	1 1 1 1 1	81807 1514 1503 1043 86489	Spacer Tube .38" Flat Washer .38" Lock Washer .38" UNC X 1.00" Hex Capscrew Dipper Assembly (Includes (4) #81610 Bushings, (2) 82443 Bushings and (2) #83368 Spacers - Bushings Installed with Locktite Grade 680) Dipper Link
21	4	81610	Bushing (Included in Dipper Assembly) (Installed with Locktite Grade 680)
22 23 24 25	2 1 1 2	83368 83411 81824 1613	Spacer (Included in Dipper Assembly) Dipper Link Bucket Link Cotter Pin
26	2	81672	Bucket Pin

NOTE:

(1) Pivot Pin #86608 sold in Pin Kit #88011 Only. Kit Includes one pin #86608, two #6623 thrust washers and two 1650 snap rings. 7843

CONSOLE ASSEMBLY




-CONSOLE ASSEMBLY —

<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	1	88003	Console Cover with Decals
2	6	1958	.25" UNC X .75" Flange Head Capscrew
3	1	6980	Seat
4	2	85838	Ball Han dle
5	1	87952	Right Control Handle
6	1	87951	Left Control Handle
7	1	83235	Control Lever Boot
8	2	2558	M10 Hex Nut
9	1	85826	Boot Support Plate
10	2	1001	.25" UNC X .50" Hex Capscrew
11	2	1501	.25" Lock Washer
12	1	82999	Seat Mounting Bracket
13	4	1513	.31" Flat Washer
14	4	1502	.31" Lock Washer
15	4	1021	.31" UNC X .75" Hex Capscrew
16	2	1516	.50" Flat Washer
17	2	1542	.50" UNC Lock Nut
18	2	1088	.50" UNC X 1.00" Hex Capscrew
19	12	1043	.38" UNC X 1.00" Hex Capscrew
20	14	1514	.38" Flat Washer
21	. 1	86626	Console
22	4	1837	.38" UNC Lock Nut
23	8	1226	.38" UNC Hex Nut
24	8	1503	.38" Lock Washer
25	1	87739	Closure Panel
26	2	82861	Double Hose Clamp

-VALVE ASSEMBLY-

ASSEMBLY #2238

UP TO SERIAL #---15188



7846 9-2-99

-VALVE ASSEMBLY-

ASSEMBLY #2238

UP TO SERIAL #---15188

NO	REQ'D	PART NO.	DESCRIPTION
1	4	3269	Straight Adapter 8MBo-6MJ
2	6	3457	Straight Adapter 6MBo-6MJ
3	1	3461	Bushing Adapter 6MBo-4FP
4	1	3356	Straight Adapter 4MP-4FP
5	1	3185	Needle Valve (Swing Speed Control)
J	•	3103	Meedie Valve (Swing Speed Control)
6	1	3137	Straight Adapter 4MP-6MJ
7	1	3430	90° Street Adapter 6FJX-6MJ
8	2	3103	Straight Adapter 8MBo-8MJ
9	2	30015	45° Street Adapter 8FJX-8FJX
10	1	87075	6-Spool Hidroirma Valve with
			Float Position on Boom Section
11	1	20104	Straight Adomton GNADo GNAL
11	ļ	30184	Straight Adapter 6MBo-6MJ
10	2	2272	(With .109 Restrictor In - Free Flow Out)
12	2	3273	Coupling 8FP-8FJX
13	2	3211	Close Nipple .50" NPT
14	1	45691	Check Valve
15	2	3070	Straight Adapter 8MP-8MJ
16	1	45132	Inline Filter

VALVE ASSEMBLY

ASSEMBLY #2238 SERIAL #---15188 & UP 12 16 **RETURN FROM POWER** #3708 HOSES

TO

LOCATED IN

COMPLETION KIT #87779

7858 9-7-99

-VALVE ASSEMBLY—


ASSEMBLY #2238

SERIAL #---15188 & UP

NO	REQ'D	PART NO.	DESCRIPTION
1	4	3269	Straight Adapter 8MBo-6MJ
2	5	3457	Straight Adapter 6MBo-6MJ
3	2	30185	Straight Adapter 6MBo-6MJ
			(With .076 Restrictor In - Free Flow Out)
4	1	30187	Swivel Connector 4FP-6FJX
5	1	3185	Needle Valve (Swing Speed Control)
6	1	3137	Straight Adapter 4MP-6MJ
7	1	3430	90° Street Adapter 6FJX-6MJ
8	2	3103	Straight Adapter 8MBo-8MJ
9	2	30015	45° Street Adapter 8FJX-8FJX
10	1	87075	6-Spool Hidroirma Valve with
			Float Position on Boom Section
11	1	30184	Straight Adapter 6MBo-6MJ
12	2	3273	(With .109 Restrictor In - Free Flow Out) Coupling 8FP-8FJX
13	2	3273	Close Nipple .50" NPT
14	1	45691	Check Valve
15	2	3070	Straight Adapter 8MP-8MJ
1.5	۷.	3070	Chaight Adaptor Olvin Tolvio
16	1	45132	Inline Filter

VALVE ASSEMBLY

HIDROIRMA VALVE #87075



-VALVE ASSEMBLY -


HIDROIRMA VALVE #87075

SERVICE PARTS

<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	10	45702	Screw
2	1	45704	Joystick Plate - Left
3	1	45705	Joystick Plate - Right
4	6	45706	Nut
5	4	45707	Washer
6	4	45708	Terminal With Stud
7	2	45709	Joystick Spool Pin
8	2	45710	Terminal
9	4	45711	Bushing
10	1	45712	Left Joystick Support
11	1	45713	Right Joystick Support
12	-	45717	Left Joystick Assembly
			(Includes Items 1, 2, 4, 5, 6, 7, 8, 9, 10)
13	-	45718	Right Joystick Assembly
4.4	•	00000	(Includes Items 1, 3, 4, 5, 6, 7, 8, 9, 11)
14	2	86338	Knob
15	2	85837	Stabilizer Control Lever
16	-	85511	Complete Valve Assembly
			(Includes all Items on this Page)
17	2	45714	Circuit Relief With Anti-Cav. @ 2500 PSI
18	2	45715	Circuit Relief With Anti-Cav. @ 2250 PSI
19	2	45716	Circuit Relief @ 2500 PSI
20	1	45719	Main Relief @ 2250 PSI
21	3	45736	Tie Bolt A ssembly (Includes Tie Bolt, Washer & Nut)

-VALVE ASSEMBLY-

REPLACEMENT PARTS - HYDROIRMA VALVE



- VALVE ASSEMBLY—

REPLACEMENT PARTS - HIDROIRMA VALVE

<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	-	3341	Plug 8MBo
	-	3306	Replacement O'Ring
2	-	45736	Tie Rod Assembly (Includes Nuts & Washers)
3	-	45720	Section Seal Kit
4	-	45731	Restrictor .076
5	-	45732	Restrictor .109
6	-	45714	Circuit Relief With Anti-Cav. @ 2500 PSI
7	-	45715	Circuit Relief With Anti-Cav. @ 2250 PSI
8	-	45721	Spool Seal Kit
9	-	45733	Stabilizer Lever Assembly
10	-	45735	Single Slot Screw
11	-	45716	Circuit Relief @ 2500 PSI
12	-	45719	Main Relief @ 2250 PSI
13	-	45728	Endcap With Return
14	-	45722	Valve Section - Boom
15	-	45723	Valve Section - Swing
16	-	45724	Valve Section - Stabilizers
17	-	45725	Valve Section - Bucket
18	-	45726	Valve Section - Dipper
19	-	45727	Endcap With Relief
20	-	45730	Float Assembly (Spool NOT Included)
			(If Float Spool is damaged, it is recommended to
			purchase a complete Valve Section.)
21	-	45729	Positioner Assembly (Spool NOT Included)
			(If Positioner Spool is damaged, it is recommended
			to purchase a complete Valve Section.)

NOTES:


Items without part numbers are not sold separately.

Spool Seal Kit #45721 contains (2) O-Ring Seals and (1) Flanged Washer.

Section Seal Kit #45720 includes (4) O'Rings O'Ring Seals.

- CYLINDER ASSEMBLY-

SWING CYLINDER ASSEMBLY #86576



- CYLINDER ASSEMBLY—


SWING CYLINDER ASSEMBLY #86576

NO	REQ'D	PART NO.	DESCRIPTION
1	1	86580	Cylinder Rod
2	1	86508	Gland
3	1	86510*	Gland Retainer Rod
4	1	86575	Cylinder Tube
5	1	86578	Piston
6	1	62523	Self Aligning Bushing
7	1	4974*	Rod Wiper
8	1	45219*	Poly Pak Seal
9	1	45700*	Back-Up Washer
10	1	45699*	O-Ring
11	1	4501*	O-Ring
12	1	45701*	Piston Ring
13	1	45443*	O-Ring
14	1	1481	.75" UNF Deformed Lock Nut

NOTE: Seal Kit #45478 includes all parts marked with an asterisk (*). Parts are not sold separately.

-CYLINDER ASSEMBLY-

STABILIZER CYLINDER ASSEMBLY #83397 (1.25" DIAMETER CYLINDER ROD)



-CYLINDER ASSEMBLY—


STABILIZER CYLINDER ASSEMBLY #83397 (1.25" DIAMETER CYLINDER ROD)

<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	1	83398	Cylinder Tube
2	1	1483	Hex Nut
3	1	50252	Piston
4	1	77458	Cylinder Gland
5	1	83399	Cylinder Rod
6	1	4645*	O'Ring
7	1	4644*	Piston Ring
8	1	4641*	O'Ring
9	1	5421	Washer
10	1	4509*	O'Ring
11	1	4510*	Back-Up Ring
12	1	45219*	Poly Pak Seal
13	1	45250*	O'Ring
14	1	45389*	Rod Wiper

NOTE: Seal Kit #45617 includes all parts marked with an asterisk (*). Parts are not sold separately.

- CYLINDER ASSEMBLY-

BOOM CYLINDER ASSEMBLY #86587



· CYLINDER ASSEMBLY—


BOOM CYLINDER ASSEMBLY #86587

<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	1	86591	Cylinder Tube
2	1	86586	Piston
3	1	62770	Gland
4	1	7165*	Gland Retainer Rod
5	1	86588	Cylinder Rod
6	2	85772	Bushing
7	1	1483	1.00" Deformed Hex Nut
8	1	4645*	O-Ring
9	1	4644*	Piston Ring
10	1	4641*	O-Ring
11	1	5421	Spacer
12	1	4509*	O-Ring
13	1	4510*	Back-Up Washer
14	1	45219*	Poly Pak Seal
15	1	4974*	Rod Wiper

NOTE: Seal Kit #45258 includes all parts marked with an asterisk (*). Parts are not sold separately.

- CYLINDER ASSEMBLY-

DIPPER CYLINDER ASSEMBLY #86561



-CYLINDER ASSEMBLY-


DIPPER CYLINDER ASSEMBLY #86561

NO	REQ'D	PART NO.	DESCRIPTION
1	1	86566	Cylinder Tube
2	1	86565	Piston
3	1	62770	Gland
4	1	7165*	Gland Retainer Rod
5	1	86567	Cylinder Rod
6	2	85772	Bushing
7	1	1483	1.00" Deformed Hex Nut
8	1	4645*	O-Ring
9	1	4644*	Piston Ring
10	1	4641*	O-Ring
11	1	5421	Spacer
12	1	4509*	O-Ring
13	1	4510*	Back-Up Washer
14	. 1	45219*	Poly Pak Seal
15	1	4974*	Rod Wiper

NOTE: Seal Kit #45258 includes all parts marked with an asterisk (*). Parts are not sold separately.

-CYLINDER ASSEMBLY-

BUCKET CYLINDER ASSEMBLY #86505



- CYLINDER ASSEMBLY-

BUCKET CYLINDER ASSEMBLY #86505


<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	1	86506	Cylinder Tube
2	1	86509	Piston
3	1	86508	Gland
4	1	86510*	Gland Retainer Rod
5	1	86507	Cylinder Rod
6	2	85772	Bushing
7	1	1483	1.00" Deformed Hex Nut
8	1	45443*	O-Ring
9	1	45701*	Piston Ring
10	1	4641*	O-Ring
11	4	E 4 0 1	Chance
11	ŀ	5421	Spacer
12	1	45699*	O-Ring
13	1	45700*	Back-Up Washer
14	1	45219*	Poly Pak Seal
15	1	4974*	Rod Wiper


NOTE: Seal Kit #45478 includes all parts marked with an asterisk (*). Parts are not sold separately.

- MAINFRAME HOSE SET-

ASSEMBLY #86643

HYDRAULIC CONTROL VALVE





MAINFRAME HOSE SET-

ASSEMBLY #86643

<u>NO</u>	REQ'D	PART NO.	DESC	RIPTION	
1	4	37733	Hose	.25" X 46"	6FJX - 6FJX
2	2	37731	Hose	.25" X 36"	6FJX - 6FJX
3	2	37732	Hose	.25" X 26"	6FJX - 6FJX

NOTE: Letters on the hose set diagram show the hydraulic hose routing between the backhoe control valve and the various hydraulic cylinders. Simply match the letter on the control valve port to the same letter on the hydraulic hose ends. Example: Hose labeled "C" runs from the upper Left Stabilizer port on the hydraulic control valve - through the console support bracket and to the barrel end fitting on the left stabilizer cylinder.


NOTE: The fittings on the hydraulic cylinders have been altered for clarity purposes. This will assist you in distinguishing between the rod end and the barrel end of the various hydraulic cylinders.

7861

-BOOM & DIPPER HOSE SET-

ASSEMBLY #86644

HYDRAULIC CONTROL VALVE



BOOM & DIPPER HOSE SET


ASSEMBLY #86644

NO	REQ'D	PART NO.	DESC	RIPTION	
1	1	37726	Hose	.25" X 79"	6FJX - 6FJX
2	2	37727	Hose	.25" X 115"	6FJX - 6FJX
3	1	37729	Hose	.25" X 121"	6FJX - 6FJX
4	1	37730	Hose	.25" X 135"	6FJX - 6FJX
5	1	37728	Hose	.25" X 101"	6FJX - 6FJX

NOTE: Letters on the hose set diagram show the hydraulic hose routing between the backhoe control valve and the various hydraulic cylinders. Simply match the letter on the control valve port to the same letter on the hydraulic hose ends. Example: Hose labeled "G" runs from the lower Boom port on the hydraulic control valve - through the swing post (hose sock) and to the rod end fitting on the boom cylinder.

NOTE: The fittings on the hydraulic cylinders have been altered for clarity purposes. This will assist you in distinguishing between the rod end and the barrel end of the various hydraulic cylinders.

STABILIZER PADS




-STABILIZER PADS ---

<u>NO</u>	REO'D	PART NO.	DESCRIPTION
	FI	AT STABILIZE	R PAD ASSEMBLY - #81861
1	2	81865	Flat Stabilizer Pad
	GRO	USER STABILI	IZER PAD ASSEMBLY - #81860
2	2	83421	Grouser Stabilizer Pad
	RU	BBER STABILIZ	ZER PAD ASSEMBLY - #81862
3	2	83418	Rubber Stabilizer Pad Assembly (Includes Items 4 through 10)
4	1	83419	Stabilizer Pad
5	4	1226	.38" UNC Hex Nut
6	4	1503	.38" Lock Washer
7	2	1514	.38" Flat Washer
8	1	51190	Slide Plate
9	1	64412	Rubber Strip Bundle
10	2	1661	.38" UNC X 11.50" Readi Bolt

STABILIZER PADS-

FLIP-OVER STABILIZER PAD ASSEMBLY #83091 (COMPLETE SET OF (2) FLIP-OVER PADS - ASSEMBLY #83058)




-STABILIZER PADS-

FLIP-OVER STABILIZER PAD ASSEMBLY #83091 (COMPLETE SET OF (2) FLIP-OVER PADS - ASSEMBLY #83058)

<u>NO</u>	REQ'D	PART NO.	DESCRIPTION
1	1	84496	Flip-Over Pad
2	2	84495	Spacer
3	2	1652	1.25" Snap Ring
4	VARIES	57693	Thrust Washer 1.25" X .078"
	VARIES	64727	Thrust Washer 1.25" X .125"
5	1	83096	Pin
6	6	1837	.38" UNC Hex Deformed Lock Nut
7	6	1514	.38" Flat Washer
8	3	51190	Slide Plate
9	1	64412	Rubber Strip Bundle
10	4	1053	.38" UNC X 3.50" Hex Capscrew
11	2	1057	.38" UNC X 5.00" Hex Capscrew

OPTIONAL STABILIZER CYLINDER COVER


STABILIZER CYLINDER COVER ASSEMBLY #83850



OPTIONAL STABILIZER CYLINDER COVER

STABILIZER CYLINDER COVER ASSEMBLY #83850

NO	REQ'D	PART NO.	DESCRIPTION
1	2	83915	Stabilizer Cylinder Cover with Decal
2	2	4167	No Step Decal
3	2	83910	1.25" Clamp Assembly
4	2	83911	Guide Ring
5	4	1575	.38" UNC X .50" Set Screw



6735 12-12-95


-BUCKET ASSEMBLIES ----

<u>NO</u>	PART NO.	DESCRIPTION
1	6616	Replacement Grease Zerk
2	81824	Replacement Bucket Link (Requires (3) #6616 Grease Zerks, (4) #81610 Bushings, (1) #83368 Spacer)
3	83368	Replacement Spacer
4	81610	Replacement Bushing
5	81710	10" Bucket Weldment
	81712	12" Bucket Weldment
	81716	16" Bucket Weldment
	81718	18" Bucket Weldment
	81724	24" Bucket Weldment
6	81667	Replacement Right Side Cutter
7	81668	Replacement Left Side Cutter
8	81906	10" Replacement Front Cutter Edge
	81902	12" Replacement Front Cutter Edge
	81898	16" Replacement Front Cutter Edge
	81894	18" Replacement Front Cutter Edge
	81666	24" Replacement Front Cutter Edge
9	6398	Replacement Tooth Shank
10	6397	Replace Tooth Point
11	8274	Replacement Tooth Point & Shank

DECAL PLACEMENT

GENERAL INFORMATION

The diagrams on this page show the location of all the decals used on the 3375 backhoe. The decals are identified by their part numbers, with reductions of the actual decals located on the following pages. Use this information to order replacements for lost or damaged decals. Be sure to read all decals before operating the backhoe. They contain information you need to know for both safety and backhoe longevity.





HIGH-PRESSURE FLUID HAZARD

To prevent serious injury or death:

- Relieve pressure on system before repairing or adjusting or disconnecting.
- Wear proper hand and eye protection when searching for leaks. Use wood or cardboard instead of hands.
- · Keep all components in good repair.

#40151

PART #40151 HIGH PRESSURE FLUID DECAL

IMPORTANT

TO PREVENT BACKHOE DAMAGE:

- DO NOT ATTACH TOW CHAIN DIPPER OR BUCKET.
- DO NOT REPEATEDLY SLAM SWING POST INTO SWING STOPS.

PREPARATION FOR STORAGE

LUBRICATE ALL GREASE POINTS. LEAVE AS MANY CYLINDERS IN CLOSED POSITION AS POSSIBLE. COVER ALL EXPOSED CYLINDER RODS WITH A LIGHT COAT OF GREASE.

240257

PART #40257 IMPORTANT! DECAL

WARNING

TO PREVENT SERIOUS INJURY OR DEATH:

- Do not operate or work on this machine without reading and understanding Operator's Manual.
- Avoid unsafe operation or maintenance.
- Do not operate machine with guards and covers removed.
- This machine was designed to be operated by one operator. Do not carry passengers on unit.
- Before installing backhoe on your unit extend boom and dipperstick and lower bucket to ground.
- Never use backhoe as manlift.
- Operate backhoe control levers from operator's seat only. Lower stabilizers and bucket to ground before leaving operator's seat.
- Engage boom lock and swing lock before transporting backhoe.

#40255


PART #40255
OPERATIONAL WARNING DECAL





To prevent serious injury or death from pinching:


 Keep all persons and objects clear while any part of this machine is in motion.

PART #40149
DANGER! PINCH POINTS











PART #4368
OPERATING CONTROLS DECAL




PART #40091 FLOAT DECAL



PART #4247 SWING SPEED CONTROL DECAL



PART #40219 BOOM LOCK DECAL




PART #40249 SWING LOCK DECAL

IMPORTANT

The backhoe bucket is capable of contacting this stabilizer and/or cylinder. Carefull operation will avoid backhoe damage.

4140

PART #4140 BUCKET CONTACT WARNING DECAL



PART #4084 GREASE 8 HOURS



PART #4338 MADE IN U.S.A. DECAL



BACKHOE AND THREE POINT LIMITATIONS


For Use On Compact Tractors: 25 - 50 Horsepower. 800 - 3800 Rated Hitch Lift Capacity. Up To 5000 Lbs. GVW.

Mounting This Backhoe On Larger Tractors May Result In Serious Damage To The Backhoe And Void Warranties.

Sustained Heavy Use Of Backhoe May Result In Damage To The Tractor.

#40380

PART #40380
CAUTION! BACKHOE LIMITATIONS



PART #4271
INLINE FILTER DECAL

IMPORTANT NOTICE REGARDING 3-POINT HITCH BACKHOES.

BRADCO MAKES NO CLAIMS OR WARRANTY, IMPLIED OR OTHERWISE, as to the compatibility or structural integrity of any tractors 3-point hitch assembly or components when used with any BRADCO 3-point hitch type backhoe. Since many models of tractors have standard category hitches and backhoes have standard category attaching points, it is possible to mount tractor or backhoe combinations that are not compatible.

DEALERS AND/OR OWNERS MUST DETERMINE THAT COMPATIBILITY BETWEEN THE TRACTOR AND BACK-HOE EXISTS.

Compatibility includes, but is not limited to items such as operator clearance, hitch component strength, tractor case strength and hydraulics.

Suggestions given as to hitch categories and horsepower ranges used with various models of backhoes are suggestions only and not recommendations as to suitability of any combination of tractors and backhoes.

BRADCO also manufactures solid 4-point mounting kits for many models of tractors. These kits do NOT mount to the 3-point hitch. If in doubt about your hitch compatibility, solid 4-point mounting type kit and backhoe should be used.

#40410

PART #40410
IMPORTANT NOTICE

BRADCO

PART #40400 BRADCO LOGO - WHITE/RED

3375


PART #40399 3375 MODEL NUMBER



TO AVOID SERIOUS INJURY OR DEATH.

- Use ONLY on Category 1 tractors.
- Do not use 3-point quick attaching coupler to mount backhoe on tractor.
- Minimum of 20% of tractor and equipment weight must be on the tractor front wheels with the backhoe in the transport position.
- Operate PTO at 540 RPM (if so equipped).
- Backhoe digging forces can lift and turn tractor over. Make sure stabilizer pads are on firm ground and avoid steep banks.
- Do not exceed ROPS certification weight.
- Consult local utilities before digging. Know location of and avoid contacting all underground cables, pipelines, overhead wires and other hazards in digging area. #40411

PART #40411 WARNING!



PART #40398 POW-R-DIG LOGO